

## RELIABLE, FAST, RADIONUCLIDE DETECTION


We specialize in developing cutting-edge products for rapid detection and management of nuclear threats. Our technology delivers results in under 60 seconds with specificity and high sensitivity.



Our products show an immediate visual color change when in contact with Uranium, Plutonium, Americium, Cobalt and Primary Transition Metals at trace levels.



Neat  
Codeac



Less than  
60 seconds



U



Pu



Am



Co



Primary  
transition  
metals

## OUR PRODUCT RANGE



Nuclear  
Detection wipe



Single Use Test



Water Test



30 ml bottle

# Simple and easy-to-use colorimetric nuclear detection

1



Wear appropriate PPE

2



Tear Single-Use Nuclear Detection Wipe, remove the wipe and collect a sample from the area suspected of contamination.

3



Allow 60 seconds for results and use the Color Standard to identify any colorimetric change or transition. A color change indicates a detection.

## Technical specification:

### Nuclear Detection Wipes

A single-use individually wrapped nuclear detection wipe test. The inner wipe is saturated with our detection liquid solution, enough for one test, with the outer foil tear protective sleeve. Available in custom sizes upon request.

Detection capability	Uranium, Plutonium, Americium, Cobalt and Primary Transition Metals e.g. U-233, U-234, U-235, U-236, U-238, Pu-239, Pu-239, Pu-241, Pu-242, Am-241, Am-243, Co-60
Detection principle	Colorimetric elemental detection
Sensitivity	Uranium - 10ppm   Plutonium - 1.6ppt   Americium - 2.4ppm   Cobalt - 2.2ppm
Dimensions	8.62cm x 7cm (packaging)
Weight (approx.)	5 grams
Color	White, Black or Khaki
Amounts of tests	20 tests - 1 wipe per test
Response time	Under 1 minute
Contents	20x Nuclear Detection Wipes 4x pairs of disposable gloves 20x disposal bags with result labels 1x permanent marker 1x instruction card 1x color standard card 1x Molle Pouch (Black, Khaki or Coyote Brown) or 1 x Essential
Available accessories	Replenishment kits available
Sample introduction	Liquid and solid
Transportability	Pocket size
Calibration	Not required
Expiration	2 years
Power supply	Not required
Training required	Not required
Maintenance cost	Nil
Manuals provided	Instruction and Color Standard Card, Safety Data Sheet and Operating Manual

Products are subject to availability. Company reserves the rights from time to time, in its sole discretion and without liability to change, add or withdraw Products.